





GRILL OFF



MOUNTING LOCKS
EXTEND 0.375in [9.5mm]
BEYOND EDGE





GRILL ON



MAX CEILING
THICKNESS
1in [25mm]



CUTOUT DIAMETER
(WITH TOLERANCE)
9.25in [235mm]

SEALED BACK ENCLOSURE
AVAILABLE AS AN ACCESSORY





XTC8 DIMENSION DRAWING


GRILL OFF



MOUNTING LOCKS
EXTEND 0.375in [9.5mm]
BEYOND EDGE






SECTION A-A




TWEETER ANGLE 49°

TWEETER AIMING: ROTATE SPEAKER ASSEMBLY
TO AIM TWEETER AT LISTENING POSITION

GRILL ON




TWEETER OFFSET




SEALED BACK ENCLOSURE
AVAILABLE AS AN ACCESSORY

XTC8-HT
DIMENSION
DRAWING

GRILL OFF



GRILL ON




**CUTOUT DIMENSIONS
(WITH TOLERANCE)**
 WIDTH: 14.5in [368mm]
 HEIGHT: 6.5in [165mm]


XTW5-LCR

DIMENSION
DRAWING

VERTICAL POSITION



MOUNTING LOCKS
 EXTEND 0.375in [9.5mm]
 BEYOND LONG EDGE
 (VERTICAL AND HORIZONTAL)




BOX VOLUME
 MINIMUM: 12.5L [0.44ft³]
 OPTIMAL: 25L+ [0.88ft³+]
 (BASS OUTPUT DECREASES
 AS BOX VOLUME DECREASES)

**MAX WALL/CEILING
 THICKNESS**
 1in [25mm]


TWEETER ROTATES 90°

HORIZONTAL INSTALLATION

VERTICAL INSTALLATION




GRILL OFF



**CUTOUT DIMENSIONS
(WITH TOLERANCE)**
WIDTH: 7.00in [179mm]
HEIGHT: 10.13in [259mm]

GRILL ON




**MOUNTING LOCKS
EXTEND 0.375in [9.5mm]
BEYOND LONG EDGES**

BOX VOLUME
MINIMUM: 10L [0.35ft³]
OPTIMAL: 20L+ [0.71ft³+]
(BASS OUTPUT DECREASES
AS BOX VOLUME DECREASES)

**MAX WALL/CEILING
THICKNESS**
1in [25mm]

XTW6 DIMENSION DRAWING


GRILL OFF



**CUTOUT DIMENSIONS
(WITH TOLERANCE)**
 WIDTH: 6.64in [169mm]
 HEIGHT: 27.00in [685mm]

BOX VOLUME
 MINIMUM: 20L [0.71ft³+]
 OPTIMAL: 40L+ [1.41ft³+]
 (BASS OUTPUT DECREASES
 AS BOX VOLUME DECREASES)

GRILL ON




MOUNTING LOCKS
 EXTEND 0.375in [9.5mm]
 BEYOND LONG EDGES

**MAX WALL/CEILING
THICKNESS**
 1in [25mm]

TWEETER ROTATES 90°

VERTICAL INSTALLATION

HORIZONTAL INSTALLATION



XTW6-LCR

DIMENSION
DRAWING