

Mikros 70

Reference In-Ear Headphones

SPECIFICATIONS

Transducer

6.6mm dynamic driver

Frequency Response

8–19,000 Hz

Impedance

22 Ohms

Sensitivity

98 dB @ 1kHz with 1mW input

Maximum Input Power

20mW

Maximum Output

111.46dB SPL

Noise Isolation

97.8% (-33dB SPL, at 1kHz with 1mW input, 30cm)

Weight

13.4g (0.5oz)

Connector

Right angle gold-plated 3.5mm (1/8") 4-conductor plug

Cord

4 foot (1.2m) cable

Microphone Frequency Response

180-10kHz (-5dB; 3dB)

Microphone Pickup Pattern

Omnidirectional

Microphone Sensitivity

-42dB (as per IEC 60268-9)

Specifications are subject to change without notice.



Inspired by the sonic clarity and detail of our legendary electrostatic speakers, the Mikros™ 70 reference in-ear headphones deliver the realism, richness, and purity of sound that MartinLogan's discerning customers have come to expect.



Design Focused On Sound

High quality materials and obsessive attention to detail are as much part of this new portable design as in our traditional loudspeakers. The Mikros 70 body is constructed from black anodized solid aluminum and sealed with metallic hyperblack end caps to isolate up to 97.8% of ambient noise.



Control At Your Fingertips

Mikros 70's have an Apple-approved in-line remote and microphone that controls volume, play/pause, track selection, voice control, and allows seamless transitions between listening to music and phone calls on compatible Apple devices. The remote and microphone also function with a variety of smart phones, digital media players, and similar devices* with a standard 3.5mm 4-conductor socket.

*Exact functions of the remote will vary by make and model and MartinLogan cannot guarantee compatibility with specific brands or models.